



CONSOLIDATED TEST RESULTS SUMMARY

Please see the following pages for full test results.

| | | |
|--|---------------------------------------|---|
| SKU: DRYCP10 | BATCH #: BJ44 | NR: Not Reported NA: Not Available |
| PRODUCT NAME: 10MG FULL SPECTRUM CBD CAPSULES | | LOQ: Limit Of Quantitation LOD: Limit Of Detection |
| LAB NAME: PIXIS LABS | OREGON ACCREDITATION: OR100028 | 1 g = 10 ⁻³ kg = 10 ³ mg = 10 ⁶ µg 1 mg/kg = 1 ppm = 1000 ppb |

| POTENCY | PER SERVING | PER GRAM | REGULATORY ACTION LEVEL |
|-----------------------------|------------------|------------|-------------------------|
| Cannabidiol (CBD) | 10.7 mg/serving | 37.5 mg/g | N/A |
| Total THC (d9-THC + d8-THC) | 0.45 mg/serving | 1.57 mg/g | 3 mg/g |
| Cannabigerol (CBG) | 0.34 mg/serving | 1.20 mg/g | N/A |
| Cannabinol (CBN) | 0.034 mg/serving | 0.118 mg/g | N/A |
| Cannabichromene (CBC) | 0.59 mg/serving | 2.05 mg/g | N/A |

| HEAVY METALS | PER SERVING | PER GRAM | REGULATORY ACTION LEVEL |
|--------------|------------------|-------------|---------------------------|
| Arsenic | <LOQ µg/serving | <LOQ µg/g | 10 µg/day ^[1] |
| Cadmium | <LOQ µg/serving | <LOQ µg/g | 4.1 µg/day ^[1] |
| Lead | 0.011 µg/serving | 0.0372 µg/g | 3.5 µg/day ^[2] |
| Mercury | <LOQ µg/serving | <LOQ µg/g | 2 µg/day ^[1] |

| PESTICIDES | REGULATORY ACTION LEVEL |
|--|-------------------------|
| None of the 59 pesticides tested found above limit of detection in the sample. | 10 ppb ^[1] |

| RESIDUAL SOLVENTS |
|---|
| None of the 36 residual solvents tested found above limit of detection in the sample. |

| MICROBIAL | PASS/FAIL |
|----------------|-----------|
| Yeast & Mold | PASS |
| Coliform | PASS |
| Water Activity | PASS |

| TERPENES | % OF SAMPLE | TERPENES | % OF SAMPLE |
|-----------------|-------------|-----------|-------------|
| Limonene | 0.0692% | β-Myrcene | 0.0397 % |
| β-Caryophyllene | 0.0377 % | farnesene | 0.0354 % |

1. American Herbal Pharmacopoeia. (2014). *Cannabis Inflorescence: Standards of Identity, Analysis, and Quality Control*. Washington DC: AHP.
 2. US Food and Drug Administration. (2019). *Lead in Food, Foodwares, and Dietary Supplements*. Washington DC: FDA. US Food and Drug Administration. (2019). *Lead in Food, Foodwares, and Dietary Supplements*. Washington DC: FDA.



Customer: Etz Hayim Holdings
Product identity: DRYPCP10 BJ44
Client/Metric ID: .
Laboratory ID: 19-015637-0001

Summary

Potency:

| Analyte per 1g | Result | Limits | Units | Status | | |
|--------------------------|--------|--------|-------|--------|--------------------------------------|------------|
| CBC per 1g [†] | 2.05 | | mg/1g | | CBD-Total per 1g | 37.5 mg/1g |
| CBD per 1g | 37.5 | | mg/1g | | THC-Total per 1g | 1.57 mg/1g |
| CBDV per 1g [†] | 0.285 | | mg/1g | | (Reported in milligrams per serving) | |
| CBG per 1g [†] | 1.20 | | mg/1g | | | |
| CBL per 1g [†] | 0.0701 | | mg/1g | | | |
| CBN per 1g | 0.118 | | mg/1g | | | |
| Δ9-THC per 1g | 1.57 | | mg/1g | | | |
| THCV per 1g [†] | 0.129 | | mg/1g | | | |

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.

Terpenes:

| Analyte | Percent by weight | Percent of Total | Analyte | Percent by weight | Percent of Total |
|-----------------------------------|-------------------|------------------|------------------------|-------------------|------------------|
| (R)-(+)-Limonene [†] | 0.0692 | 38.02% | β-Myrcene [†] | 0.0397 | 21.81% |
| β-Caryophyllene [†] | 0.0377 | 20.71% | farnesene [†] | 0.0354 | 19.45% |
| Total Terpenes[†] | 0.182 | 100.00% | | | |

Metals:

| Analyte | Result | Limits |
|---------|--------|--------|
| Lead | 0.0372 | |

Microbiology:

Less than LOQ for all analytes.



Customer: Etz Hayim Holdings
Product identity: DRYPCP10 BJ44
Client/Metric ID: .
Sample Date:
Laboratory ID: 19-015637-0001
Relinquished by: Zack Holden
Temp: 18.9 °C
Serving Size #1: 1 g

Sample Results

| Potency per 1g | | Batch: 1911707 | | | | | | |
|--------------------------------|--------|----------------|-------|--------|----------|-------------------|-------|--|
| Analyte | Result | Limits | Units | LOQ | Analyze | Method | Notes | |
| CBC per 1g [†] | 2.05 | | mg/1g | 0.0333 | 01/02/20 | J AOAC 2015 V98-6 | | |
| CBC-A per 1g [†] | < LOQ | | mg/1g | 0.0333 | 01/02/20 | J AOAC 2015 V98-6 | | |
| CBC-Total per 1g [†] | 2.05 | | mg/1g | 0.0626 | 01/02/20 | J AOAC 2015 V98-6 | | |
| CBD per 1g | 37.5 | | mg/1g | 0.0333 | 01/02/20 | J AOAC 2015 V98-6 | | |
| CBD-A per 1g | < LOQ | | mg/1g | 0.0333 | 01/02/20 | J AOAC 2015 V98-6 | | |
| CBD-Total per 1g | 37.5 | | mg/1g | 0.0626 | 01/02/20 | J AOAC 2015 V98-6 | | |
| CBDV per 1g [†] | 0.285 | | mg/1g | 0.0333 | 01/02/20 | J AOAC 2015 V98-6 | | |
| CBDV-A per 1g [†] | < LOQ | | mg/1g | 0.0333 | 01/02/20 | J AOAC 2015 V98-6 | | |
| CBDV-Total per 1g [†] | 0.285 | | mg/1g | 0.0622 | 01/02/20 | J AOAC 2015 V98-6 | | |
| CBG per 1g [†] | 1.20 | | mg/1g | 0.0333 | 01/02/20 | J AOAC 2015 V98-6 | | |
| CBG-A per 1g [†] | < LOQ | | mg/1g | 0.0333 | 01/02/20 | J AOAC 2015 V98-6 | | |
| CBG-Total per 1g [†] | 1.20 | | mg/1g | 0.0626 | 01/02/20 | J AOAC 2015 V98-6 | | |
| CBL per 1g [†] | 0.0701 | | mg/1g | 0.0333 | 01/02/20 | J AOAC 2015 V98-6 | | |
| CBN per 1g | 0.118 | | mg/1g | 0.0333 | 01/02/20 | J AOAC 2015 V98-6 | | |
| Δ8-THC per 1g [†] | < LOQ | | mg/1g | 0.0333 | 01/02/20 | J AOAC 2015 V98-6 | | |
| Δ9-THC per 1g | 1.57 | | mg/1g | 0.0333 | 01/02/20 | J AOAC 2015 V98-6 | | |
| THC-A per 1g | < LOQ | | mg/1g | 0.0333 | 01/02/20 | J AOAC 2015 V98-6 | | |
| THC-Total per 1g | 1.57 | | mg/1g | 0.0626 | 01/02/20 | J AOAC 2015 V98-6 | | |
| THCV per 1g [†] | 0.129 | | mg/1g | 0.0333 | 01/02/20 | J AOAC 2015 V98-6 | | |
| THCV-A per 1g [†] | < LOQ | | mg/1g | 0.0333 | 01/02/20 | J AOAC 2015 V98-6 | | |
| THCV-Total per 1g [†] | 0.129 | | mg/1g | 0.0622 | 01/02/20 | J AOAC 2015 V98-6 | | |

| Microbiology | | | | | | | | |
|-------------------------|--------|--------|-------|-----|---------|----------|-------------------------|-------|
| Analyte | Result | Limits | Units | LOQ | Batch | Analyze | Method | Notes |
| E.coli | < LOQ | | cfu/g | 10 | 1911600 | 12/25/19 | AOAC 991.14 (Petrifilm) | X |
| Total Coliforms | < LOQ | | cfu/g | 10 | 1911600 | 12/25/19 | AOAC 991.14 (Petrifilm) | X |
| Mold (RAPID Petrifilm) | < LOQ | | cfu/g | 10 | 1911590 | 12/25/19 | AOAC 2014.05 (RAPID) | X |
| Yeast (RAPID Petrifilm) | < LOQ | | cfu/g | 10 | 1911590 | 12/25/19 | AOAC 2014.05 (RAPID) | X |



| Solvents | | Method EPA5021A | | | | Units µg/g | Batch 1911804 | Analyze 12/31/19 10:39 AM | | | |
|-------------------------|--------|-----------------|------|--------|-------|----------------------|---------------|---------------------------|------|--------|-------|
| Analyte | Result | Limits | LOQ | Status | Notes | Analyte | Result | Limits | LOQ | Status | Notes |
| 1,4-Dioxane | < LOQ | 380 | 100 | pass | | 2-Butanol | < LOQ | 5000 | 200 | pass | |
| 2-Ethoxyethanol | < LOQ | 160 | 30.0 | pass | | 2-Methylbutane | < LOQ | | 200 | | |
| 2-Methylpentane | < LOQ | | 30.0 | | | 2-Propanol (IPA) | < LOQ | 5000 | 200 | pass | |
| 2,2-Dimethylbutane | < LOQ | | 30.0 | | | 2,2-Dimethylpropane | < LOQ | | 200 | | |
| 2,3-Dimethylbutane | < LOQ | | 30.0 | | | 3-Methylpentane | < LOQ | | 30.0 | | |
| Acetone | < LOQ | 5000 | 200 | pass | | Acetonitrile | < LOQ | 410 | 100 | pass | |
| Benzene | < LOQ | 2.00 | 1.00 | pass | | Butanes (sum) | < LOQ | 5000 | 400 | pass | |
| Cyclohexane | < LOQ | 3880 | 200 | pass | | Ethanol ¹ | < LOQ | | 200 | | |
| Ethyl acetate | < LOQ | 5000 | 200 | pass | | Ethyl benzene | < LOQ | | 200 | | |
| Ethyl ether | < LOQ | 5000 | 200 | pass | | Ethylene glycol | < LOQ | 620 | 200 | pass | |
| Ethylene oxide | < LOQ | 50.0 | 30.0 | pass | | Hexanes (sum) | < LOQ | 290 | 150 | pass | |
| Isopropyl acetate | < LOQ | 5000 | 200 | pass | | Isopropylbenzene | < LOQ | 70.0 | 30.0 | pass | |
| m,p-Xylene | < LOQ | | 200 | | | Methanol | < LOQ | 3000 | 200 | pass | |
| Methylene chloride | < LOQ | 600 | 200 | pass | | Methylpropane | < LOQ | | 200 | | |
| n-Butane | < LOQ | | 200 | | | n-Heptane | < LOQ | 5000 | 200 | pass | |
| n-Hexane | < LOQ | | 30.0 | | | n-Pentane | < LOQ | | 200 | | |
| o-Xylene | < LOQ | | 200 | | | Pentanes (sum) | < LOQ | 5000 | 600 | pass | |
| Propane | < LOQ | 5000 | 200 | pass | | Tetrahydrofuran | < LOQ | 720 | 100 | pass | |
| Toluene | < LOQ | 890 | 100 | pass | | Total Xylenes | < LOQ | | 400 | | |
| Total Xylenes and Ethyl | < LOQ | 2170 | 600 | pass | | | | | | | |





Pesticides Method AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 1911702 Analyze 12/27/19 09:18 AM

| Analyte | Result | Limits | LOQ | Status | Notes | Analyte | Result | Limits | LOQ | Status | Notes |
|------------------|--------|--------|-------|--------|-------|---------------------|--------|--------|-------|--------|-------|
| Abamectin | < LOQ | 0.50 | 0.250 | pass | | Acephate | < LOQ | 0.40 | 0.250 | pass | |
| Acequinocyl | < LOQ | 2.0 | 1.00 | pass | | Acetamiprid | < LOQ | 0.20 | 0.100 | pass | |
| Aldicarb | < LOQ | 0.40 | 0.200 | pass | | Azoxystrobin | < LOQ | 0.20 | 0.100 | pass | |
| Bifenazate | < LOQ | 0.20 | 0.100 | pass | | Bifenthrin | < LOQ | 0.20 | 0.100 | pass | |
| Boscalid | < LOQ | 0.40 | 0.200 | pass | | Carbaryl | < LOQ | 0.20 | 0.100 | pass | |
| Carbofuran | < LOQ | 0.20 | 0.100 | pass | | Chlorantraniliprole | < LOQ | 0.20 | 0.100 | pass | |
| Chlorfenapyr | < LOQ | 1.0 | 0.500 | pass | | Chlorpyrifos | < LOQ | 0.20 | 0.100 | pass | |
| Clofentezine | < LOQ | 0.20 | 0.100 | pass | | Cyfluthrin | < LOQ | 1.0 | 0.500 | pass | |
| Cypermethrin | < LOQ | 1.0 | 0.500 | pass | | Daminozide | < LOQ | 1.0 | 0.500 | pass | |
| Diazinon | < LOQ | 0.20 | 0.100 | pass | | Dichlorvos | < LOQ | 1.0 | 0.500 | pass | |
| Dimethoate | < LOQ | 0.20 | 0.100 | pass | | Ethoprophos | < LOQ | 0.20 | 0.100 | pass | |
| Etofenprox | < LOQ | 0.40 | 0.200 | pass | | Etoazole | < LOQ | 0.20 | 0.100 | pass | |
| Fenoxycarb | < LOQ | 0.20 | 0.100 | pass | | Fenpyroximate | < LOQ | 0.40 | 0.200 | pass | |
| Fipronil | < LOQ | 0.40 | 0.200 | pass | | Fonicamid | < LOQ | 1.0 | 0.400 | pass | |
| Fludioxonil | < LOQ | 0.40 | 0.200 | pass | | Hexythiazox | < LOQ | 1.0 | 0.400 | pass | |
| Imazalil | < LOQ | 0.20 | 0.100 | pass | | Imidacloprid | < LOQ | 0.40 | 0.200 | pass | |
| Kresoxim-methyl | < LOQ | 0.40 | 0.200 | pass | | Malathion | < LOQ | 0.20 | 0.100 | pass | |
| Metalaxyl | < LOQ | 0.20 | 0.100 | pass | | Methiocarb | < LOQ | 0.20 | 0.100 | pass | |
| Methomyl | < LOQ | 0.40 | 0.200 | pass | | MGK-264 | < LOQ | 0.20 | 0.100 | pass | |
| Myclobutanil | < LOQ | 0.20 | 0.100 | pass | | Naled | < LOQ | 0.50 | 0.250 | pass | |
| Oxamyl | < LOQ | 1.0 | 0.500 | pass | | Paclobutrazole | < LOQ | 0.40 | 0.200 | pass | |
| Parathion-Methyl | < LOQ | 0.20 | 0.200 | pass | | Permethrin | < LOQ | 0.20 | 0.100 | pass | |
| Phosmet | < LOQ | 0.20 | 0.100 | pass | | Piperonyl butoxide | < LOQ | 2.0 | 1.00 | pass | |
| Prallethrin | < LOQ | 0.20 | 0.200 | pass | | Propiconazole | < LOQ | 0.40 | 0.200 | pass | |
| Propoxur | < LOQ | 0.20 | 0.100 | pass | | Pyrethrin I (total) | < LOQ | 1.0 | 0.500 | pass | |
| Pyridaben | < LOQ | 0.20 | 0.100 | pass | | Spinosad | < LOQ | 0.20 | 0.100 | pass | |
| Spiromesifen | < LOQ | 0.20 | 0.100 | pass | | Spirotetramat | < LOQ | 0.20 | 0.100 | pass | |
| Spiroxamine | < LOQ | 0.40 | 0.200 | pass | | Tebuconazole | < LOQ | 0.40 | 0.200 | pass | |
| Thiacloprid | < LOQ | 0.20 | 0.100 | pass | | Thiamethoxam | < LOQ | 0.20 | 0.100 | pass | |
| Trifloxystrobin | < LOQ | 0.20 | 0.100 | pass | | | | | | | |



| Terpenes | | | | Method J AOAC 2015 V98-6 | Units % | Batch 1911814 | Analyze 12/31/19 12:04 PM | | |
|----------------------------------|--------------|-------|------------|--------------------------|--------------------------------------|---------------|---------------------------|------------|-------|
| Analyte | Result | LOQ | % of Total | Notes | Analyte | Result | LOQ | % of Total | Notes |
| (R)-(+)-Limonene [†] | 0.0692 | 0.020 | 38.02% | | β-Myrcene [†] | 0.0397 | 0.020 | 21.81% | |
| β-Caryophyllene [†] | 0.0377 | 0.020 | 20.71% | | farnesene [†] | 0.0354 | 0.020 | 19.45% | |
| (-)-α-Terpineol [†] | < LOQ | 0.020 | 0.00% | | (-)-caryophyllene oxide [†] | < LOQ | 0.020 | 0.00% | |
| (-)-Guaiol [†] | < LOQ | 0.020 | 0.00% | | (-)-Isopulegol [†] | < LOQ | 0.020 | 0.00% | |
| (-)-β-Pinene [†] | < LOQ | 0.020 | 0.00% | | (+)-Borneol [†] | < LOQ | 0.020 | 0.00% | |
| (+)-Cedrol [†] | < LOQ | 0.020 | 0.00% | | (+)-fenchol [†] | < LOQ | 0.020 | 0.00% | |
| (+)-Pulegone [†] | < LOQ | 0.020 | 0.00% | | (±)-Camphor [†] | < LOQ | 0.020 | 0.00% | |
| (±)-cis-Nerolidol [†] | < LOQ | 0.020 | 0.00% | | (±)-fenchone [†] | < LOQ | 0.020 | 0.00% | |
| (±)-trans-Nerolidol [†] | < LOQ | 0.020 | 0.00% | | α-Bisabolol [†] | < LOQ | 0.020 | 0.00% | |
| α-cedrene [†] | < LOQ | 0.020 | 0.00% | | α-phellandrene [†] | < LOQ | 0.020 | 0.00% | |
| α-pinene [†] | < LOQ | 0.020 | 0.00% | | α-Terpinene [†] | < LOQ | 0.020 | 0.00% | |
| Camphene [†] | < LOQ | 0.020 | 0.00% | | cis-β-Ocimene [†] | < LOQ | 0.006 | 0.00% | |
| d-3-Carene [†] | < LOQ | 0.020 | 0.00% | | Eucalyptol [†] | < LOQ | 0.020 | 0.00% | |
| γ-Terpinene [†] | < LOQ | 0.020 | 0.00% | | Geraniol [†] | < LOQ | 0.020 | 0.00% | |
| Geranyl acetate [†] | < LOQ | 0.020 | 0.00% | | Humulene [†] | < LOQ | 0.020 | 0.00% | |
| Isoborneol [†] | < LOQ | 0.020 | 0.00% | | Linalool [†] | < LOQ | 0.020 | 0.00% | |
| Menthol [†] | < LOQ | 0.020 | 0.00% | | nerol [†] | < LOQ | 0.020 | 0.00% | |
| p-Cymene [†] | < LOQ | 0.020 | 0.00% | | Sabinene [†] | < LOQ | 0.020 | 0.00% | |
| Sabinene hydrate [†] | < LOQ | 0.020 | 0.00% | | Terpinolene [†] | < LOQ | 0.020 | 0.00% | |
| trans-β-Ocimene [†] | < LOQ | 0.013 | 0.00% | | valencene [†] | < LOQ | 0.020 | 0.00% | |
| Total Terpenes | 0.182 | | | | | | | | |





Metals

| Analyte | Result | Limits | Units | LOQ | Batch | Analyze | Method | Notes |
|---------|--------|--------|-------|--------|---------|----------|---------------------|-------|
| Arsenic | < LOQ | | mg/kg | 0.0241 | 1911788 | 12/30/19 | AOAC 2013.06 (mod.) | X, H |
| Cadmium | < LOQ | | mg/kg | 0.0241 | 1911788 | 12/30/19 | AOAC 2013.06 (mod.) | X, H |
| Lead | 0.0372 | | mg/kg | 0.0241 | 1911788 | 12/30/19 | AOAC 2013.06 (mod.) | X, H |
| Mercury | < LOQ | | mg/kg | 0.0121 | 1911788 | 12/30/19 | AOAC 2013.06 (mod.) | X, H |

Nutrition

| Analyte | Result | Limits | Units | LOQ | Batch | Analyze | Method | Notes |
|----------------|--------|--------|-------|-------|---------|----------|-------------|-------|
| Water Activity | 0.284 | | Aw | 0.030 | 1911698 | 12/26/19 | AOAC 978.18 | X |